

Wagonway[®] COMMERCIAL

LIGHTING FIXTURES



Why Wagonway?

There are many advantages of working with us, our objective is to provide high-quality products at a very reasonable price and to offer unparalleled service and support.

- **Wholesale Pricing**

We offer attractive pricing for large purchases of all our industrial outdoor lighting fixtures.

- **Customer Project Services**

Every project has its unique demands. Because of that, we deliver solutions. If our existing product range doesn't meet your needs, our dedicated team collaborates closely with you to develop customized products to complete your project's specifications. We offer attractive pricing for large purchases of all our industrial outdoor lighting fixtures.

- **Customer Rebate Program**

Our industry-first rebate program for our lighting fixtures rewards customer loyalty. Start being rewarded with every purchase.

- **Product Warranty**

Our hassle-free warranty process provides our customers with additional peace of mind.

- **Energy Efficient Fixtures**

We recognize the benefits of providing energy-efficient fixtures, and that is why we offer a wide selection of energy-efficient fixtures to help lower your energy bills and are better for the environment.

- **After Sales Support**

We provide ongoing support and assistance, including installation guidance, troubleshooting tips, or warranty services to ensure customers have a positive experience with Wagonway products.



Visit us at: www.wagonway.com
for more details about our products
and services.

Wagonway Industrial & Outdoor Light Fixtures.

We provide a range of products tailored for industrial and outdoor lighting applications. Our fixtures are specifically made for use in diverse settings, including factories, warehouses, sports courts, roads, pathways, urban public spaces, and more. Committed to delivering cutting-edge LED technology, our focus is on offering sustainable lighting solutions that ensure energy efficiency and reliable performance over the years.





Wagonway
High Bay-Plus
NSF & HACCP Certified

High Bay-Plus

High Bay Plus is a breakthrough in industrial lighting. The smooth housing is NSF certified and suitable for wash-down with high pressure water jets. The highly efficient heat dissipation combines performance with function due to the uni-body design.



- Product Features:**
- Food Processing: NSF & HACCP Certified
 - Low Voltage: 100 - 277 VAC & High Voltage: 277 - 480 VAC
 - IP66 & IP69K
 - No toxic chemicals, smooth body design, non-exposed stainless steel screws, no glass, and anti UV.
 - UGR<19 with honeycomb diffuser available.
 - Full Certificates: UL, DLC, SAA, EMC, LM79, D-mark, NSF, & HACCP.

▶

30°

50°

60°

90°

113°

120°

▶

IP66

IK08

IK10

▶

1-10V

Daylight

▶

NSF

HACCP

Wagonway SKU	Power (Watt)	Efficacy (Ra80)	Lumens (f110%)	Net Wt. (lbs.)	Size (DxH (inch))
HB10-100	100W	135 lm/W	13,500 lm	15.9	Ø19.25 x 7.87
HB10-120	120W	135 lm/W	16,200 lm	15.9	Ø19.25 x 7.87
HB10-150	150W	135 lm/W	20,250 lm	15.9	Ø19.25 x 7.87
HB10-200	200W	135 lm/W	27,000 lm	15.9	Ø19.25 x 7.87
HB10-100-H	100W	155 lm/W	15,500 lm	15.9	Ø19.25 x 7.87
HB10-120-H	120W	155 lm/W	18,600 lm	15.9	Ø19.25 x 7.87
HB10-150-H	150W	155 lm/W	23,250 lm	15.9	Ø19.25 x 7.87
HB10-200-H	200W	155 lm/W	31,000 lm	15.9	Ø19.25 x 7.87

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
High Bay-Select
The First 200 lm/W UFO


High Bay-Select

High Bay-Select delivers high lumen output with various beam angle, making it ideal for high mounting application. The plug and play sensor helps to maximize energy savings. The innovative heat sink design minimizes heat while prohibiting dust accumulation. High Bay-Select is an excellent choice for high dust environments such as paper processing, chipboard, or steel processing.



Product Features:

- The first 200 lm/W UFO high bay.
- Efficacy: 140 lm/W and 180 lm/W.
- Power Selectable.
- Mounting options: eye-bolt, hook, ceiling, & pendant.
- Compact light-weight design lowers shipping costs.
- No dust accumulation design and better heat dissipation.
- Various lens optics and mouting brackets.
- Plug-and-play motion sensors available.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f10%)	Net Wt. (lbs.)	Size (DxH (inch))
HB05-100	100W	200 lm/W	20,000 lm	8.6	Ø14.17 x 7.32
HB05-120	120W	200 lm/W	24,000 lm	8.6	Ø14.17 x 7.32
HB05-150	150W	200 lm/W	30,000 lm	8.6	Ø14.17 x 7.32
HB05-200	200W	200 lm/W	40,000 lm	9.5	Ø14.17 x 7.32
HB05-240	240W	190 lm/W	45,600 lm	9.5	Ø14.17 x 7.32

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
High Bay-Select Plus
Compact 165 lm/W Selectable Power

High Bay-Select Plus

High Bay-Select Plus offers 165 lm/W selectable power output and three beam angle (60°, 90°, & 120°), perfect for high mounting applications. The plug-and-play motion sensor allows for maximum energy savings. Zero dust accumulation design helps improve heat dissipation. High Bay-Select Plus is an excellent luminaire for warehouses, manufacturing, shopping centers, airports, and industrial facilities.



Product Features:

- Power-selectable.
- Efficacy: 165 lm/W.
- Mounting options: eye-bolt, hook, ceiling, pendant.
- Light-weight design saves on shipping costs.
- No dust accumulation design and improves heat dissipation.
- IP65 & IK08.
- Various lens optics and mounting brackets optional.
- Plug-and-play sensors available.

▶

40°

60°

90°

120°

▶

IP65

IK08

▶

DIM

Motion Sensor

Microwave

Zigbee

Wagonway SKU	Power (Watt)	Efficacy (Ra80)	Lumens (ffl10%)	Net Wt. (lbs.)	Size (DxH (inch))
HB20-100	100W/80W/60W	165 lm/W	16,500lm	3.3	Ø9.76 x 6.14
HB20-150	150W/120W/90W	165 lm/W	24,750lm	4.4	Ø10.47 x 6.37
HB20-200	200W/160W/120W	165 lm/W	33,000lm	5.0	Ø11.81 x 6.57

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
High Bay-Comp
Largest model is less than a foot in diameter


High Bay-Comp

High Bay-Comp is an economical and compact designed high bay luminaire with three diameter options with multiple outputs. With its optimized compact design, it saves shipping costs. Additionally, the extruded cooling fins contribute to excellent heat-disipation management and extend the LED's life span. An easily added plug and play occupancy sensor gives you maximum flexibility, performance and lifespan.




Features:

- Robust and Compact Design: Three diameters - 9-in., 10-in, and 11-in. to save on delivery and storage
- Intelligent Control: Twist microwave motion sensor and PIR sensor, 0 - 10V dimmable.
- Multiple Installations: Loop hanging and ceiling mounting.
- Optional Reflectors: Polycarbonate and aluminum reflectors to minimize glare and optimize optical control.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ft10%)	Net Wt. (lbs.)	Size (DxH (inch))
HB15-100	100W	140 lm/W	14,000 lm	3.5	Ø9.21 x 7.12
HB15-120	120W	140 lm/W	16,800 lm	3.5	Ø9.21 x 7.12
HB15-150	150W	140 lm/W	21,000 lm	3.8	Ø9.84 x 7.60
HB15-200	200W	140 lm/W	28,000 lm	5.3	Ø11.0 x 7.72

Disclaimer: Technical data is subject to change without prior notice.



Wagonway

Mod

Sports Hall Ball Test to DIN 57710-13

Mod


Mod offers a large light-emitting surface, which delivers high light uniformity and excellent performance with low glare. Its Glare UGR value is a low 19 with anti-glare grid, and is ideal for manufacturing, warehouse, commercial and industrial facility applications.

Additionally, it is a perfect solution for indoor sports facilities and is designed to the DIN 57710-13 sports hall ball test.




Product Features:

- High-protective structure design, IP66 and IK10.
- Modular design.
- Good performance in anti-glare control.
- Flexible intelligent control for more energy saving.
- Multiple mounting options.




Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ffl10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
LHB05-100	100W	140 lm/W	14,000 lm	7.7	13.4 x 12.8 x 2.4
LHB05-150	150W	140 lm/W	21,000 lm	8.2	13.4 x 12.8 x 2.4
LHB05-200	200W	140 lm/W	28,000 lm	14.8	26.7 x 12.8 x 2.4
LHB05-300	300W	140 lm/W	42,000 lm	17.2	26.7 x 12.8 x 2.4
LHB05-400	400W	140 lm/W	56,000 lm	23.6	40.2 x 12.8 x 2.4



Wagonway
Sport
Robust LED Sports Light up to 96,000 lm


Sport

Wagonway Sport LED flood light is suitable for high-mount applications such as large football stadiums and plazas. The fixture is available in 480W & 600W with narrow beam angles to maximize light while controlling uniformity and glare.



Product Features:

- Superior thermal performance ensures the LED's operate at a suitable temperature to maximize lifespan.
- Multiple light distributions for different applications.
- Compatible with different intelligent control modes.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
FL05-480	480W	130 lm/W (12°) 160 lm/W (30°, 55°)	62,400 lm (12°) 76,800 lm (30°, 55°)	33.5	20.3 x 19.3 x 18.4
FL05-600	600W	130 lm/W (12°) 160 lm/W (30°, 55°)	78,000 lm (12°) 96,000 lm (30°, 55°)	35.9	20.3 x 19.3 x 18.4

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
MultiFlex
Powerful & Reliable Sports Lighting

MultiFlex

A versatile flood light with full offerings from 200W to 1,200W. This fixture is ideal to retrofit the 400W to 1,500W traditional HID lamps. The modular design assembles quickly and with easy adjustments can accommodate a variety of field conditions, mounting heights, and lens angles for optimal illumination.



Product Features:

- The compact design gets quick assembly and flexible installation.
- Modular design from 200W to 1200W.
- Ideal to retrofit the 400W to 1500W traditional fixture.
- Multiple optics lens optional 10°/ 15°/30°/45°/60° and asymmetric.
- 10-20kV surge protection.

▶

10°

15°

30°

15x40°

45°

60°

T1 14x106°
(t30°)

T3 38x100°
(t40°)

▶

IP66

IK08

10-20KV

▶

DIM

DMX
RDM

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ftl10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
FL10-200	200W	130 lm/W	26,000 lm	13.2	12.6 x 12 x 4.7
FL10-400	400W	130 lm/W	52,000 lm	23.1	17.3 x 13.8 x 6.3
FL10-600	600W	130 lm/W	78,000 lm	33.1	22.1 x 13.8 x 4.7
FL10-800	800W	130 lm/W	104,000 lm	37.5	28.5 x 26.3 x 10.6
FL10-1200	1200W	130 lm/W	156,000 lm	48.5	33.3 x 26.3 x 10.6
FL10-200-H	200W	140 lm/W	28,000 lm	13.2	12.6 x 12 x 4.7
FL10-400-H	400W	140 lm/W	56,000 lm	23.1	17.3 x 13.8 x 6.3
FL10-600-H	600W	140 lm/W	84,000 lm	33.1	22.1 x 13.8 x 4.7
FL10-800-H	800W	140 lm/W	112,000 lm	37.5	28.5x26.3x10.6
FL10-1200-H	1200W	140 lm/W	168,000 lm	48.5	33.3x26.3x10.6

Disclaimer: Technical data is subject to change without prior notice.

Wagonway
Solar Fin
Integrated Solar Street Light

HYBRID SOLAR
TECHNOLOGY
WITH GRID POWER
BACK-UP



Solar Fin

Wagonway's Solar Fin is a game changer for Solar lighting.

The all in one design with integrated solar panel, battery, smart controller, and motion sensor make this system easy to install and very reliable.

For Retrofit Projects

Our innovative hybrid Solar technology allows you to install lights that are primarily Solar powered but provide peace of mind with secondary electrical grid supply - a first for the US Solar lighting industry!

For New Projects


If you are looking for 100% Solar, without back-up power, now there is an economical and easy way to bring light to areas without access to electric grid.



Product Features:

- Super high efficient system up to 200lm/W.
- Power: 10W, 20W, 30W, 40W, 50W, & 60W (up to 12,000 lm).
- IP65 certified: Can withstand extreme weather conditions.
- LiFePO4 battery: Longer lifetime and can continuously work for 3 days on a 8-hour charge.
- Higher conversion mono-crystalline silicon panel higher than most traditional solar panels.
- Integrated Motion Detection: Allows for unique possibility to set lighting schedule based on your specific preferences at different times during the night.
- Multiple Mounting Options: Post top, side-entry, and clamp bracket mount.

 **Hybrid Solar Technology**



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (LxWxH (inch))
SL05-10	10W	200 lm/W	2,000 lm	11.0	31.8 x 11.6 x 5.8
SL05-20	20W	200 lm/W	4,000 lm	12.6	31.8 x 11.6 x 5.8
SL05-30	30W	200 lm/W	6,000 lm	30.6	31.8 x 11.6 x 5.8
SL10-40	40W	200 lm/W	8,000 lm	13.9	38 x 16.9 x 7.4
SL10-50	50W	200 lm/W	10,000 lm	31.7	38 x 16.9 x 7.4
SL10-60	60W	200 lm/W	12,000 lm	33.1	38 x 16.9 x 7.4

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Max Solar Fin
20,000 lm Integrated Solar Street Light



Max Solar Fin

 Hybrid Solar Technology

Wagonway’s Max Solar Fin is an improvement for Solar lighting. This fixture is a very powerful all in one integrated design with solar panel, battery, controller, and motion sensor make this system easy to install and very reliable.

Providing light up to 3 days on a 8-hour charge!

For Retrofit Projects

Our innovative hybrid Solar technology allows you to install lights that are primarily Solar powered but provide peace of mind with secondary electrical grid supply - a first for the US Solar lighting industry!


For New Projects

If you are looking for 100% Solar, without a need for back-up power, now there is an economical and easy way to bring light to areas without access to the electric grid.



Product Features:

- Super high system efficiency up to 200lm/W.
- Power: 30W, 40W, 50W, 60W, 80W, & 100W (up to 20,000 lm).
- IP65and IK08 double protection.
- LiFePO4 battery: Longer lifetime and can continuously work for 3 days on a 8-hour charge.
- Higher conversion mono-crystalline silicon panel higher than most traditional solar panels.
- Integrated Motion Detection: Allows for unique possibility to set lighting schedule based on your specific preferences at different times during the night.
- Multiple Mounting Options: Post top, side-entry, and clamp bracket mount.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f10%)	Net Wt.. (lbs.)	Size (LxWxH (inch))
SL15-30	30W	200 lm/W	6,000 lm	29.8	30.3 x 16.6 x 13.4
SL15-40	40W	200 lm/W	8,000 lm	36.4	43.3 x 16.6 x 13.4
SL15-50	50W	200 lm/W	10,000 lm	37.5	43.3 x 16.6 x 13.4
SL15-60	60W	200 lm/W	12,000 lm	44.1	50.5 x 16.6 x 13.4
SL15-80	80W	200 lm/W	16,000 lm	47.4	50.5 x 16.6 x 13.4
SL15-100	100W	200 lm/W	20,000 lm	53	60.3 x 16.6 x 13.4

Disclaimer: Technical data is subject to change without prior notice.



TopStar

Stylish with Multiple Mounting Options




TopStar

TopStar is a well-designed LED post top and landscape lighting for parks, walkways, etc. The multiple mounting options make it optimal for all kinds of applications. This series provides a 3CCT adjustable and power selectable options in the field. Various optics provides efficient and uniform lighting distribution possibilities. It also delivers a full cutoff and is dark sky compliant.



Product Features:

- Optional backup possible.
- Multiple mounting.
- More than 10 optics for projects.
- High output efficiency up to 150lm/W
- 1-10V dimming, photocell or microwave sensor.
- Akzo outdoor powder coating for strong anti-corrosion.
- Tool-less maintenance.
- Compatible with NEMA , Zhaga book18 socket.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ffl10%)	Net Wt. (lbs.)	Size (DxH (inch))
ST05-30	30W	150 lm/W	4,500 lm	11.7	Ø15.7 x 3.2
ST05-50	50W	150 lm/W	7,500 lm	11.7	Ø15.7 x 3.2
ST05-60	60W	150 lm/W	9,000 lm	11.7	Ø15.7 x 3.2
ST05-75	75W	150 lm/W	11,250 lm	11.7	Ø15.7 x 3.2

Disclaimer: Technical data is subject to change without prior notice.



Blade

Stylish Area and Site Luminaire


Blade

Blade is designed for sustained, long-term performance with advanced thermal management, an elegantly simple heat sink and industry leading surge protection. This economical product line provides value-oriented area lighting solutions for a variety of applications without compromising quality or performance.



Product Features:

- The lumen package ranges from 4,350-46,500 nominal lumens, replace 70W – 1000W HID luminaires.
- Vertical heat fins that are optimal for heat dissipation while keeping a smooth outer surface.
- The LED driver chamber can be opened separately.
- Different types of mounting brackets are available, such as a pole-arm (square or round), slip fitter, trunnion, and U bracket as floodlight.
- Optional backlight control shield.
- Plug-and-play sensors.
- ANSI 3G rated for high-vibration applications.
- Compact and lightweight design with low EPA.
- Warranty: 5-Years.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (LxWxH (inch))
ST10-30	30W	145 lm/W	4,350 lm	6.2	12.4 x 8.3 x 3.3
ST10-40	40W	145 lm/W	5,800 lm	6.3	12.4 x 8.3 x 3.3
ST10-60	60W	145 lm/W	8,700 lm	6.5	12.4 x 8.3 x 3.3
ST10-100-H	100W	155 lm/W	15,500 lm	10.3	15.6 x 11.3 x 3.2
ST10-150-H	150W	155 lm/W	23,250 lm	10.5	15.6 x 11.3 x 3.2
ST10-200-H	200W	155 lm/W	31,000 lm	15.4	24.6 x 11.9 x 3.2
ST10-300-H	300W	155 lm/W	46,500 lm	16.7	24.6 x 11.9 x 3.2

Disclaimer: Technical data is subject to change without prior notice.




Pathfinder

Pathfinder is an innovative bollard light which enhances the aesthetic and beauty of modern cityscapes. Its architectural design can meet the demands of different areas in squares, parks, gardens, sidewalks and others




Product Features:


- Smile face design LED bollard light.
- Available with GFCI receptacle and CCT/Wattage selectable.
- Unique and gorgeous appearance.
- 19.69 inches and 42 inches height optional.
- Type IV / Type V light distribution.




140x53°
160°




T5 150x104°
165°




IP66



IK10



0-10V



DIM

Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (DxH (inch))
BL05-14	14W	120 lm/W	1,680 lm	9.9	19.68 inch: Ø6.5 x 19.68
BL05-24	24W	105 lm/W	2,520 lm	9.9	19.68 inch: Ø6.5 x 19.68
BL05-14	14W	120 lm/W	1,680 lm	15	42 inch: Ø6.5 x 42
BL05-24	24W	105 lm/W	2,520 lm	15	42 inch: Ø6.5 x 42



Wagonway®
Solar Pathfinder
Stylish & Reliable Solar Bollard Light



Solar Pathfinder

 Solar Technology


The environmental benefits of solar energy are well known: solar energy provides a safe, renewable source of energy that reduces harmful greenhouse gas emissions and shrinks the carbon footprint.

Solar Pathfinder is an innovative LED solar bollard light with IP66, Mono-crystalline solar panel, UV resistant PC material. Its sleek and architecturally designed appearance makes the bollard perfect for all urban landscapes.



Product Features:

- Not grid tied, no power outages, no monthly electric bills.
- High efficiency up to 420 lm.
- Professional Type IV/Type V lighting distribution.
- Environmentally friendly - 100% powered by the sun, solar panels reduce fossil fuel consumption.
- Battery backup available for cloudy or rainy days.
- Available in 20.47 inches and 36.22 inches height



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (DxH (inch))
SLB05-3	3W	100 lm/W	320 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22
SLB05-3	3W	105 lm/W	340 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22
SLB05-3	3W	130 lm/W	420 lm	11.24 / 14.55	Ø9.06 x 20.47 or 36.22

Disclaimer: Technical data is subject to change without prior notice.

Wagonway®
Pathguide
Stylish with Multiple Functions




Pathguide

Pathguide has an elegant cylindrical housing design which delivers 360° Type V light emission. Pathguide is an ideal landscape lighting solution that enhances the landscape and guides pedestrians. The smooth surface design also makes cleaning and maintenance easy.



Product Features:

- 360° coverage and visual comfort.
- 18.7 inches and 42 inches height optional.
- High output lumen efficiency up to 130 lm/W .
- 3CCT selectable.
- 30%, 50%, 75% and 100% power selectable.
- 100% aluminum alloy ADC12 and AL6063.
- Outdoor powder coating for anti-corrosion Bollard base mounting or wall mounting.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (f110%)	Net Wt. (lbs.)	Size (DxH (inch))
BL10-14	14W	130 lm/W	1,820 lm	8.4	1Ø8 x 18.7
BL10-25	25W	130 lm/W	3,250 lm	8.4	Ø8 x 18.7
BL10-14	14W	130 lm/W	1,820 lm	12.3	Ø8 x 42
BL10-25	25W	130 lm/W	3250 lm	12.3	Ø8 x 42

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Slim
Dark Sky Friendly


Slim

Wagonway's Slim LED wall pack light delivers a full cut-off asymmetric beam angle. The wall pack is dark sky compliant and provides a stylish modern design.



Product Features:

- Simple yet elegant appearance.
- Power: 10W - 70W.
- Two housing sizes.
- High lumen efficiency.
- Photocell available to reduce power consumption.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ffl10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
UWP10-30	30W	140 lm/W	4,200 lm	3.1	7.7 x 3.8 x 7.3
UWP10-40	40W	140 lm/W	5,600 lm	6.1	11.1 x 4.9 x 8.0
UWP10-70	70W	140 lm/W	9,800 lm	6.1	11.1 x 4.9 x 8.0

Disclaimer: Technical data is subject to change without prior notice.



Wagonway
Versa
Functional Canopy Light


Versa

Versa canopy light is a great choice for gas stations. This light is a cost-effective lighting solution with a simple yet stylish design. Its aluminum die-casting heat sink is lightweight and provides excellent thermal performance. The built-in switch allows for 3 CCT and 4 Wattage levels to be selected, providing flexibility.



Features:

- Power: 75W, 100W, & 120W.
- High light efficacy up to 150 lm/w.
- Cost-effective solution with die-casting aluminum housing.
- 3 CCT & 4 Wattage selectable.
- Multiple Installations: ceiling mounting, G 3/4 Conduit Mounting.
- IP65 & IK08.
- Operating Temperature: -30°C to + 50°C.
- Warranty: 5-Years.



Wagonway SKU	Power (Watt)	Efficacy (Ra70)	Lumens (ffl10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
CP05-75	75W	150 lm/W	11,250 lm	8.6	14.5 x 14.5 x 2.5
CP05-100	100W	150 lm/W	15,000 lm	8.6	14.5 x 14.5 x 2.5
CP05-120	120W	150 lm/W	18,000 lm	8.6	14.5 x 14.5 x 2.5



Wagonway
Cycloid
Functional Parking Garage Light

Cycloid


Cycloid offers a elegant, simple design, with modern aesthetics. The 18W uplight, which is offered as a standard design feature eliminates the “cave effect” which is often caused by traditional parking garage lights. Cycloid is a great lighting choice for parking lots.




Features:

- Die-casting aluminum which has excellent heat dissipation effect.
- High output efficiency up to 140LM/W.
- PIR/microwave sensor are optional.
- 3 CCT & 4 power adjustable.
- Dual uplight module: 9W (900 lm) + 9W (900 lm).
- Emergency backup available.
- 3/4-inch. NPT mount and ceiling mount are available.

▶




TS




TS(uplight)

▶




IP65




IK08

▶



140lm/W

▶



Corrosion resistance

Wagonway SKU	Power(Watt)	Efficacy (Ra70)	Lumen (ft10%)	Net Wt. (lbs.)	Size (LxWxH (inch))
CP10-25	25W	130 lm/w @3000K, 140 lm/w @4000K	3,500 lm	4.6	10.7 x 3
CP10-40	40W	130 lm/w @3000K, 140 lm/w @4000K	5,600 lm	4.6	10.7 x 3
CP10-60	60W	130 lm/w @3000K, 140 lm/w @4000K	8,400 lm	4.6	10.7 x 3
CP10-80	80W	130 lm/w @3000K, 140 lm/w @4000K	11,200 lm	6.4	12.7 x 3.3
CP10-100	100W	130 lm/w @3000K, 140 lm/w @4000K	14,000 lm	6.4	12.7 x 3.3



www.wagonway.com

2200 Post Oak Blvd Suite 1000 Houston, TX 77056
(832) 553-3649